

FEBRUARY 2026

TOOL CONNECTION

newlines

EXCLUSIVE LATEST PRODUCT PREVIEW

LASER®

Connect®
Workshop Consumables

POWER TEC™

Gunson®



View the latest **new** problem-solving and game-changing tools added to our catalogue!

Our ever expanding product range can be viewed at lasertools.co.uk



SCAN OR CLICK HERE
TO SEE MORE OF OUR GREAT NEW TOOLS IN THE RANGE





Push Pull Kit Cordless

PART NO. 92742

A hand-held battery powered push & pull alignment kit delivering up to 5 tonnes of force in either direction using a rechargeable 21V battery. The lack of external cabling or hydraulic pumps and pipes makes this system ideal for use in restricted spaces. The kit also features a range of accessories, including extension bars and chain lock attachments, and it all comes supplied in a robust plastic storage case.

- Quick to assemble and easy to use. 130mm travel length.
- One-person operation with the convenience of no trailing leads or air lines.
- Accessories included: 3x Extension Bars (125mm, 170mm, 300mm). 2x female threaded connection sleeves, 2x adaptors, 2x chain adaptors, 1x inner force screw foot & 1x outer force screw foot.
- Supplied with 2x 21V batteries and 1x battery charger (UK mains plug). For EU mains charger please see Power-TEC Part No. 62884 (page 4).
- All contained in a robust plastic case with strong over-centre latches.



VIEW ONLINE





Push Pull Kit Pneumatic

PART NO. 92741

A hand-held pneumatic push & pull alignment kit delivering up to 4.5 tonnes of force in either direction using workshop air supply. The kit also features a range of accessories, including extension bars and chain lock attachments, and it all comes supplied in a robust plastic storage case.

- Easy and quick to both assemble and use.
- One-person operation. Connects to standard workshop air lines.
- Accessories included: 3x Extension Bars (125mm, 170mm & 300mm). 2x female threaded connection sleeves, 2x adaptors, 2x chain adaptors, 1x inner force screw foot & 1 x outer force screw foot.
- Noise level: 90dB. Air consumption: 200 L/min (approx.). Working pressure: 0.8 Mpa. Air inlet: 1/4" BSP.
- Supplied in a robust plastic case with strong over-centre latches.



[VIEW ONLINE](#)



EXCLUSIVE LATEST PRODUCT PREVIEW

151mm Deep Yoke for 92743

PART NO. 62883

A replacement/additional 151mm deep throat yoke for use with the Power-TEC cordless self-piercing rivet gun, Part No. 92743, for greater access.

- Overall dimensions: 270 x 226 x 60mm.
- Manufactured from heat-treated carbon steel with a chrome-plated finish.



[VIEW ONLINE](#)



Self-Piercing Rivet Gun Kit Cordless

PART NO. 92743

A portable cordless electro-hydraulic riveting tool that utilises a combination of electrical power to drive a hydraulic force to fit self-piercing rivets. The kit also features 2x 18V batteries and a mains charger with 3-pin standard UK mains plug, together with a set of rivet removal attachments to remove old or defective rivets without the need for drilling, and it all comes supplied in a robust plastic storage case.

- Variable piston speed control. Fast motor stop for user safety. Fitted with a safety valve to prevent overload. Automatic and manual reset. LED digital display to show pressure values, temperature and battery state.
- Working pressure: 60KN. Crimp range: 16-300mm². Travel: 17mm, Charge time: 60min. Weight: 9.5kg.
- For EU mains charger please see Power-TEC Part No. 62884.
- Also features a rotating yoke for better access. For a deeper throat yoke, please see Power-TEC Part No. 62883.



[VIEW ONLINE](#)



EXCLUSIVE LATEST PRODUCT PREVIEW



LASER



Deep Sockets for Strut Channel 1/2"D 5pc

PART NO. 9274

Designed for use in Unistrut-type channels, supplied with a 1/2"D quick chuck adaptor for use with cordless screwdriver. These thin-walled sockets feature two flatted sides, allowing them to fit neatly into the slotted channel of the metal framework. Ideal for repetitive tasks and installations, it is suitable for use by builders, construction workers, electricians, plumbers, ceiling fitters, and HVAC engineers. Established individual sellers now put together in a convenient set.



VIEW ONLINE



- Sizes: 17 x 40mm long, 17 x 63.2mm long, 19 x 63.5mm & 19 x 108.5mm single hex (6pt) x 1/2"D.
- Also includes 1x 72mm x 1/2"D power extension with quick chuck end, to allow use of sockets in a cordless screwdriver like the Laser Part No. 8012.
- Manufactured from chrome molybdenum with a chrome-plated finish. Supplied in a toolbox friendly EVA foam tray (197 x 140 x 37mm).
- Restricted access socket, ideal for use when working on slotted channels and metal framing systems.



LASER

Reverse

Flywheel Locking Tool for BMW

PART NO. 9305

Designed to allow the user to lock the flywheel on the BMW engines listed to lock the crankshaft for removal of the front crankshaft pulley or flywheel.

- Equivalent to OEM 0496595 (11 6 130).

NOTE: Use in accordance with OEM instructions.



VIEW ONLINE

For timing tools please enter your engine code into the Laser Toolpoint finder on www.lasertools.co.uk.

Make	Model	Year	Engine Codes
BMW	1 Series	2015 - 2019	B37 D15A
	2 Series	2014 - 2025	B37 B15A
	3 Series	2015 - 2025	B47 D20A
	4 Series	2016 - 2025	B47 D20B
	5 Series	2014 - 2023	B48 B20B
	6 Series	2017 - 2024	B57 D30A
	7 Series	2015 - 2022	B57 D30C
	8 Series	2018 - 2025	B58 B30A
	X3	2014 - 2024	B58 B30B
	X4	2014 - 2025	B58 B30C
	X5	2015 - 2025	
	X6	2019 - 2025	
	X7	2018 - 2025	
	Z4	2019 - 2025	

Bonnet Manual Release Tool for Tesla

PART NO. 9309

The Tesla Model 3 and Model Y feature an electrically powered bonnet latch (also known as a front trunk or frunk). If the latch fails, it can only be opened using a specially designed hook. The Laser front trunk manual release tool allows the user to manually open the frunk from outside the vehicle.

- Allows emergency access to the front storage area (bonnet) without entering the car.
- Equivalent to OEM 1130534-00-A.
- Manufactured from alloy steel, with a carbon steel shaft (S45C) & Polypropylene (PP) handle.
- Use in accordance with OEM instructions.



[VIEW ONLINE](#)

LASER®



Adjustable Pivot Inner Drive Shaft Lever

PART NO. 9310

Traditional drive shaft lever tools have a fixed pivot point which can limit their application range. This has an adjustable lever point or fulcrum and it significantly increases its applications and allows the user to quickly and easily set the lever for the vehicle they are working on.

- Designed to engage between the inner driveshaft and gearbox housing to lever out driveshafts retained by a spring clip locking ring.
- Overall length: 610mm. Blade width: 40mm.
- Adjustable pivot range: 60, 80 & 100mm.
- Manufactured from carbon steel with adjustable lever points and a PVC dipped handle.

As featured on
LASER®
Live

[VIEW ONLINE](#)



EXCLUSIVE LATEST PRODUCT PREVIEW



3

INTERCHANGEABLE
HEADS



As featured on
LASER
Live

Multi-Head Cordless Polisher Kit 12V

PART NO. 92750

Featuring a 6-speed brushless motor and comes supplied with three interchangeable gear heads, allowing you to select the appropriate head depending on pad diameter and speed requirements. The kit includes two 12V batteries for added convenience, with the lighter 2.5Ah battery reducing weight during overhead work (such as removing scratches on a roof). This makes it ideal for tasks where pneumatic polishers are not suitable. Also included is a selection of compact polishing heads for small to medium-sized work areas (such as PDR finishing), along with a twin dock mains charger with a standard 3-pin UK mains plug.

- Includes 3x interchangeable gear heads: 1x 2,500 - 5,000rpm, size 15, 20 & 30 mm ø. 1x 600 - 1,200rpm, size 50 & 75 mm ø. 1x 2,500 - 5,000rpm DA, size 50 & 75mm ø, eccentric distance 12mm.
- Supplied with 2x 12V batteries (1x 2.5Ah & 1x 5.0Ah) & double dock charging station with UK mains plug.
- Supplied in a soft-shell case for storage. For EU charger please see Part No. 62930.

SCAN OR CLICK HERE
TO WATCH VIDEO



RoHS
Compliant



VIEW ONLINE

Double Dock Battery Charger with Euro 2 Pin Plug for 92750

PART NO. 62930

A replacement/additional battery charger with euro 2 pin plug for use with the Power-TEC cordless multi-head polishing kit, Part No. 92750.

- For use with the Power-TEC cordless multi-head polishing kit (Part No. 92750).



VIEW ONLINE



Oil Funnel Adaptor for 7980 for Renault/Mercedes-Benz

PART NO. 9316

This specially designed adaptor has been introduced as a result of requests from customers who have bought the Laser 7980 and 9120 funnel kits. The adaptor allows these very popular funnel kits to be used on the Renault DCi & Mercedes-Benz 1.5 CDI diesel engines fitted with the filler cap that carries the cars oil dipstick.

- Designed to fit the Renault 1.5 DCi & Mercedes-Benz CDI (K9K) engines fitted with the dip stick incorporated in the filler cap (OEM cap number 8200355344).

Renault applications: Clio (2005 - 2023), Kadjar (2020 - 2025), Megane (2020 - 2024), Modus/Grand Modus (2004 onwards) & Kangoo (2021 - 2025).

Mercedes-Benz applications: A Class (2018 - 2022), B Class (2019 - 2025), CLA (2019 - 2021) & Citan Van (2019 - 2025).

- Plastic-moulded adaptor with locking tabs & seals to specifically fit the cam cover.

9316

VIEW ONLINE

7980

VIEW ONLINE



As featured on



Oil Funnel Kit with Drain Storage Station

PART NO. 9120

This set combines the Laser oil funnel kit (Part No. 7980) with the new oil drain station (Part No. 9113), specifically designed to provide a clean, tidy and convenient way to store the funnel kit after use, allowing the components to drain off any excess oil so it drains in to a suitable 1L oil bottle for periodic safe disposal.



9120

VIEW ONLINE

9113

VIEW ONLINE



EXCLUSIVE LATEST PRODUCT PREVIEW

Assorted Mini Hose Clips

80pc

PART NO. 34334

Popular sized mini style hose clips for small diameter vacuum, fuel, oil and coolant hoses. As with other Dealer No More Kits, all of the contents are available as top-up packs so the box can be refilled.

- Sizes: 20x 7 - 9mm, 20x 10 - 12mm, 20x 13 - 15mm & 20x 16.0 - 18mm.
- Bright zinc-plated for corrosion resistance. Can be set with a screwdriver or 7mm socket.
- Supplied in a handy storage case.
- *Top-up kits available, see Connect Part Nos. 30778 (7 - 9mm), 30781 (10 - 12mm), 30784 (13 - 15mm) & 30787 (16 - 18mm).*



connect
Workshop Consumables



VIEW ONLINE

Tyre Lever Bar for HGV 965mm

LASER

PART NO. 9324

A high-strength steel tyre lever specially developed for use on bigger heavier vehicles including HGV's. The specially shaped ends allow the lever to hook into the rim or tyre bead as required when fitting or removing the bead. With an average bar diameter of 22mm and length of 965mm the Laser 9324 offers significant leverage abilities.

- Dimensions: Length: 965mm, shaft diameter: 22mm, forged ends 33mm wide.
- Double-ended: 1x rim stop end, 1x tyre bead stop.
- Manufactured from chrome vanadium (6140).
- Features forged steel ends for high strength.



VIEW ONLINE

Large Capacity Grease Pump 30L

PART NO. 9381

A manually operated, large-capacity grease gun that can hold up to 30L of grease. It can accommodate an 18L round grease drum without the need to decant the grease.

- High output @ 3cc/stroke.
Max. pressure: 5,000psi (350bar).
- 30L capacity. Internal dimensions (including lid): 345mm diameter x 370mm deep.
- Features a 2m long delivery hose, together with 2x heavy-duty wheels & handle for ease of transportation.
- Ideal for HGV, agricultural and construction use.

NOTE: Tin of grease for illustration purposes only and not supplied with product.



[VIEW ONLINE](#)



EXCLUSIVE LATEST PRODUCT PREVIEW

LASER®



Multi-Function Car Jump Starter 12V

PART NO. 9343

Using the latest lithium battery technology, this multi-function 12V vehicle jump starter is lightweight yet super powerful. It combines a 12V high-amperage jump-start output capability with a 5V USB output, along with a selectable LED work light and safety lights.

- Features a power bank capability with USB output for charging phones etc. Together with built-in selectable LED 100LM work, SOS & strobe lights.
- Start current: 400A. Peak current: 800A. Li-Po NCM battery with charging indicator. Charging time: 2.5hrs approx.
- Also features short circuit, overcharge, over-discharge, low voltage & reverse polarity protection.
- Supplied with a USB Type-C charging cable.



[VIEW ONLINE](#)



RoHS
Compliant



LASER®



Multi-Function Car Jump Starter 12V including Air Pump

PART NO. 9344

Using the latest lithium battery technology, this multi-function 12V vehicle jump starter is lightweight yet super powerful. It combines a 12V high-amperage jump-start output capability with a 5V USB output, along with an air pump for inflating tyres to a 150psi max.

- Features a power bank capability with USB output for charging phones etc. Together with built-in selectable LED 100LM work, SOS & strobe lights.
- Start current: 600A. Peak current: 1200A. Li-Po NCM battery with charging indicator. Charging time: 6hrs approx.
- Also features a built-in 150psi tyre inflation pump. Along with short circuit, overcharge, over-discharge, low voltage & reverse polarity protection.
- Supplied with a USB Type-C charging cable.



[VIEW ONLINE](#)



RoHS
Compliant



LASER®



**Heavy-Duty Jump Starter
12V & 24V**

PART NO. 9345

Using the latest lithium battery technology, this heavy-duty 12V/24V vehicle jump starter is lightweight yet super powerful. Ideal for vans and trucks up to 10.0L engine capacity, it combines a selectable 12V/24V high-amperage jump-start output capability with 5V USB and 12V auxiliary plug outputs.

- Features a power bank capability with 3x USB outputs for charging phones etc. Together with 12V 15A auxiliary power output.
- Start current: 1500A. Peak current: 3000A. Li-Po NCM battery with charging indicator. Charging time: 2.5hrs approx.
- Also features short circuit, overcharge, over-discharge, low voltage & reverse polarity protection. Together with built-in selectable LED 100LM work, SOS & strobe lights.
- Charging via DC 32V DC charger with UK BS plug. Charge cables included.



VIEW ONLINE

RoHS
Compliant



EXCLUSIVE LATEST PRODUCT PREVIEW

Vehicle Fire Blanket

6 x 8m 1100°C

PART NO. 9262

Electric vehicle battery fires can produce very high temperatures if left unchecked. The new Laser 9262 is a thicker fire blanket with a 1100°C working temperature, introduced to complement our range of fire blankets.

Specifications:

Size 6 x 8 metres, thickness 0.70mm.
Area Weight: 600g/m², total weight: 30kg.

- Material: Silica cloth coated with silicone. Can withstand direct temperatures up to 1100°C.
- Suitable for electric, hybrid, petrol & diesel vehicles.

Applications include use in car parks, ferries, breakdown situations, by emergency services and in motorsport etc.



VIEW ONLINE



LASER®



Fire Blanket for EV Battery

3m x 3m 550°C

PART NO. 9260

Manufactured from the same material as the Laser 8396 vehicle fire blanket. The reduced size and weight make it ideal for controlling fire in batteries that have been removed from the vehicle for storage etc. Also ideal for laying over smaller electric vehicles like motorcycles, scooter lap top and other battery-powered systems.

Specifications:

Size: 3 x 3m, thickness 0.45mm.
Weight: 6.15kg.

- Material: E glass cloth coated with silicone coating. Can withstand direct temperatures up to 550°C, with a melt point of 1000°C.

Suitable for electric & hybrid vehicle battery packs.



VIEW ONLINE



VIEW ONLINE



Fire Blanket for EV Battery

3m x 3m 1000°C

PART NO. 9261

Manufactured from a silicone cloth with a silicone coating which can withstand in excess 1000°C. This is ideal for situations where the source of heat is much closer to the blanket than is normally the case with full vehicle blankets. Particularly useful when working with vehicle batteries outside of the vehicle.

Specifications:

Size: 3 x 3m, thickness 0.45mm.
Weight: 6.30kg.

- Material: Silica cloth coated with silicone. Can withstand direct temperatures up to 1000°C, with a melt point of 1600°C.

Suitable for electric & hybrid vehicle battery packs.

LASER®

9260



9261



**TOOL
CONNECTION**

To view full product details and more visit:

toolconnection.co.uk